



ATTORNEY DOCKET NO. 81413/JDL

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Charles H. Hasenauer, et al.

HIGH VOLTAGE BIAS FEEDBACK FOR DIAGNOSTIC PURPOSES

Serial No. 09/866,174

Filed: May 25,2001

Commissioner for Patents **BOX MISSING PARTS**Washington, D.C. 20231

ATTN: Customer Service Center Initial Patent Examination Division

vision /

I hereby certify that this correspondence is being deposited today with the United States Postal Service as first class mail in an envelope addressed to Commissioner for Patents, Washington, D.C. 20231.

Carmen V. Nersinger

B-4--

11

Sir:

## **LETTER UNDER 37 C.F.R. 1.136(a)**

This letter is in response to the Notice to File Missing Parts of Application mailed July 25, 2001.

Returned herewith is a copy of the above-entitled form and three sheets of substitute drawings (Figs. 1-3) for the filed application.

This action is being taken within two months of the above Notice?

Please charge the fee to NexPress Solutions LLC Deposit

Account No. 50-1466. A duplicate copy of this request is enclosed.

Respectfully submitted,

Attorney for Applicants

Registration No. 34.374

James D. Leimbach/cvn

Telephone: (716) 253-0125

Facsimile: (716) 253-5525 Rochester, NY 14653-7103

G:\Grp\LPK\LPK\FORMS\Response to Notice to File Missing Parts--Dwngs.doc

Enclosure(s)

10/04/2001 HNDOR1

00000092 501466 09866174

01 FC:115

110.00 CH